



CHEMPROOF POLYMERS®
INCORPORATED

2750 W. Charles Page Boulevard

Tulsa, Oklahoma 74127

918/584-0364, Fax 918/584-0366

January 1, 2000

Re: Letter of Certification for
PermaCoat 4000
PermaCoat 4000 V

To Whom It May Concern:

As directed by the USDA FSIS Backgrounder dated August 1994 ChemProof Polymers, Inc. states as follows certifying the above referenced products.

The Products listed above:

- 1) are suitable for the intended propose and will not result in adulteration of food products if used and applied as intended or indicated on the label directions.
 - 2) will perform well under a daily regimen of rigorous cleaning, cyclical temperature change, and wet conditions,
 - 3) are impervious to moisture,
 - 4) contain no know carcinogens, mutagens and teratogens classified as hazardous substances, heavy metals or other toxic substances,
 - 5) are not considered a pesticides and do not have pesticidal characteristics,
- ChemProof Polymers, Inc. will provide to FSIS in a timely fashion the complete chemical composition of the materials used to manufacture the product upon request.

Sincerely,

Marty D. Testa -
ChemProof Polymers, Inc.



United States
Department of
Agriculture

Food Safety
and Inspection
Service

Washington, D.C.
20250

NOV 10 1993



Chemproof Polymers, Inc.
2750 W. Charles Page Blvd.
Tulsa, OK 74127

Dear Sir/Ma'am:

Subject: PermaTEC 4000 Light Gray Parts A, B, and C

We have no objection to the use of your flooring product in federally inspected establishments under the following conditions to prevent contamination of meat and poultry products:

1. The FSIS inspector in charge is notified prior to application of the flooring material as to the time and place the flooring material will be applied.
2. All meat and poultry products and packaging materials are removed from the area where volatile solvents from the uncured coating may contaminate them, until the area is free of odor.
3. The depth of the finished product is to be free of voids which could entrap contaminants that may be exposed during normal wear.
4. The surface of standing and walking areas are slip resistant.
5. Any change in formulation, label text, product, company name, or company address voids this letter.

Please be advised that the improper application of similar flooring material has resulted in the contamination of meat and poultry products and financial losses due to condemnation of those products. Any such application which causes contamination of meat and poultry products will result in appropriate action by FSIS. This letter does not constitute an endorsement of your product.

Sincerely,

Karen M. Wesson, DVM
Director,
Facilities, Equipment and
Sanitation Division